Forging Partnerships with Manufacturers to Achieve the 3rd 90

USAID GLOBAL HEALTH SUPPLY CHAIN PROGRAM

Procurement and Supply Management

Clement B. Ndongmo, PhD, MPH, AIMLS
Senior Technical Laboratory and Advisor







Equipment: Over capacity and underutilization

Peter T et al. Journal of the International AIDS Society 2017, 20(57):e25008 http://onlinelibrary.wiley.com/doi/10.1002/jia2.25008/full | https://doi.org/10.1002/jia2.25008



COMMENTARY


Scaling up HIV viral load – lessons from the large-scale implementation of HIV early infant diagnosis and CD4 testing

Trevor Peter 18, Clement Zeh², Zachary Katz³, Ali Elbireer⁴, Bereket Alemayehu⁵, Lara Vojnov⁶, Alex Costa⁷, Naoko Doi 1 and Ilesh Jani 8


*Corresponding author: Trevor Peter Bot 2503 Extension 9 Caborone Botswara Tel: +267.3933176 (tneter@dictorhealth.acress.org)


- In a 2013 WHO survey of 127 countries, there were enough machines to provide 4.6 CD4 test/year/HIV patient and 12.8 test/year/ART patient as compared to 1 or 2 required
- Capacity utilization across instruments was 13.7%
- About 50% of EID and CD4 results were not used in SSA
- Based on current projections, access to VL will only reach 60%, by 2020;
 up from 40% currently

The Quality Management System



Job Aid: Equipment






Job Aid: Equipment

National HIV/AIDS Program

Procurement

Manufacturing



How can we re-design the way we do business and build stronger partnerships to achieve our goals?

- National HIV/AIDS Program Officer
- Laboratory Manager
- Procurement Officer
- Manufacturer (Local Representative)



• The Solution: New strategy

It is our pleasure to introduce to you our panelists

- Ms. Joy Obu,
 Laboratory Lead, HIV/AIDS Division, FMOH
- Philippe Chebu,
 Laboratory Manager, ... Laboratory
- Dr. Ezekiel Akintunde,
 Director Laboratory & Malaria Logistics, GHSC-PSM Nigeria
- Taofik Oloruko-Oba,
 Country Head, Roche Diagnostics, Nigeria
- Dr. Clement Ndongmo,
 Senior Laboratory Technical Advisor, GHSC-PSM HQ